



EA520

Rugged Handheld Computer

IP67 & 1.5m Drop Protection | Removable 4250mAh Battery | Superior Barcode Reading (30 scans/sec)

Introducing the EA520, the 5" cutting-edge rugged handheld computer delivers powerful barcode reading performance, convenient connectivity, durable but lightweight design that just fits in the palm of your hand. This enhance the service level for a variety of vertical applications within the retail, hospitality and field service sectors.

Portability for Better Retail Associate Experience

Powered by the Android 11 OS with GMS certification, the EA520 is equipped with octa-core CPU to deliver users excellent performance for smarter, more intuitive interactions. Specially designed for portability and versatile functionality, this device is easy to carry around for inventory checking, communicating with supervisor, supporting customers on the sales floor that redefines the retail associate working experience with convenient tool.

Powerful Barcode Reading Performance

Featuring powerful 1D/2D scanning capability, it also supports DPM codes and ensures read reliability for mobile phone screens and paper in any orientation. Powered by a removable 4250mAh battery, it is integrated HF/NFC RFID reader/writer, GPS, and a high-resolution 13MP camera in a compact device. The EA520 gives your workforce the technology it needs to take your business to the next level.

Durable at Its Best

The EA520 enhances the industrial durable protection with features including IP67 dustproof, waterproof and 1.5 meters resistant to fall protection (1.8 meters with boot case). That means it covers fully protected from dust and can survive in 1 meter of water for up to 30 mins.

Seamless And Connectivity

Featuring Bluetooth® 5, wireless dual bands with fast roaming for real-time data collection, staff can scans the item and instantly connect to the backend system to find out the quantity in stock or make an online order for customers. The EA520 delivers a seamlessly work experience and improves productivity for various applications.

Features

- 5-inch display with 450 nits sunlight readable
- Android 11 OS with GMS certification
- Support 1D / 2D barcode on mobile screens, even DPM barcodes
- Lightweight design that just fits in the palm of your hand
- All-In-One functionality: HF/NFC and 13MP camera
- Rugged: Corning® Gorilla® Glass 3 touch display, IP67 rated, and 1.5M drop (1.8M with boot case)
- Long-lasting removable 4250mAh battery
- Support Bluetooth® 5 / dual-band WLAN, fast roaming
- Support MDM Software Solutions and utilities such as MoboLink



System Features

| | |
|-------------------|--|
| OS | Android 11 |
| GMS certified | GMS certified |
| CPU | Octa-core 2GHz Processor |
| Memory | 4 GB RAM / 64 GB Flash |
| Languages support | Multiple languages |
| Others | Input Chinese/ English Supports handwriting and soft keyboard |

Display

| | |
|-------------|--|
| Screen Size | 5.0" TFT-LCD HD (720 x 1280) color screen |
| Touchpanel | Gorilla Glass 3. Ultra sensitive capacitive touch screen, compatible with gloves and supports wet resistance |

Keypad

Side SCAN button x 2 (Left / Right), User-defined function button (programmable key), volume up/down buttons, on/off button

Camera

8MP front camera
13M rear camera with LED flash and auto-focus function

Indicator Type

LED, Speaker, Vibrator

Symbologies

Support all major 1D and 2D barcodes

RFID

HF Support HF/NFC, Frequency 13.56Mhz, ISO14443 A/B, ISO15693, Felica(ISO/IEC18092), Mifare compliance

Power Source

Main Battery 3.85V 4250mAh Li-ion battery
Removable

Software

SOTI, AirWatch, 42Gears, and MoboLink

Regulatory Approvals

CE, FCC, NCC, CCC, SRRC, VCCI, TELEC, RoHS, BQB, N-Mark, BSMI for battery

Communication

| | |
|-------------|--|
| Bluetooth® | Bluetooth® 5 supported |
| WLAN | 802.11 a/b/g/n/ac/d/e/h/i/j/k/r/v, 2.4G+5GHz, support fast roaming, VoWiFi, hotspot, Compliant with WFA, WPA/WPA2 |
| GPS | AGPS, GPS, GLONASS, Beidou, Galileo |
| Sensors | Light Proximity, Accelerometer |
| Fingerprint | Optional |

I/O Interfaces

| | |
|----------------|---|
| USB | USB 2.0 (Type-C) |
| OTG | Yes, over USB Type-C |
| POGO PIN | Charging via cradle |
| Expansion Slot | MicroSD, up to 256 GB |
| Audio | One speaker (1.5W / 95±3dB @ 10cm), One receiver, One microphone |

Enclosure

| | |
|------------|---------------------------|
| Dimensions | 151.1mm x 76.8mm x 13.7mm |
| Weight | 246g (with battery) |

Environmental

| | |
|------------------------|---|
| Operating temperature | -20°C to 60°C |
| Storage temperature | - 40°C to 70°C (without battery) |
| Charging temperature | 0°C to 45°C |
| Relative Humidity | 95% (non-condensing) |
| Drop Specification | 1.5m , 1.8m with boot case |
| Sealing | IP67 |
| Vibration/ Tumble test | 0.5m tumbles for 300 cycles / 600 drops |

Accessories

| | |
|-----------------------------------|---------------------------------------|
| ■ USB 2.0 type C cable | ■ Gun grip |
| ■ 5V/2A Adaptor | ■ Glass Screen Protector |
| ■ PE+ Adaptor | ■ Protective Case |
| ■ Single Slot Charging Cradle | ■ Hand Strap |
| ■ Single Slot USB Cradle | ■ Wearable Kit w/ bracket, strap, pad |
| ■ 4-Slot Terminal Charging Cradle | ■ Vehicle Cradle |
| ■ 4-Slot Battery Charger | |



Headquarters

Taipei, Taiwan
http://www.ute.com e-mail: info@hq.ute.com

unitech America

Los Angeles
http://us.ute.com e-mail: info@us.ute.com
http://can.ute.com info@can.ute.com

Mexico
http://latin.ute.com e-mail: info@latin.ute.com

unitech Asia Pacific & Middle East

Taipei
http://apac.ute.com info@apac.ute.com / info@india.ute.com
http://mideast.ute.com info@mideast.ute.com

unitech Europe

Tilburg / Netherlands
http://eu.ute.com e-mail: info@eu.ute.com

unitech Japan

Tokyo
http://jp.ute.com e-mail: info@jp.ute.com

unitech Greater China

Beijing, Shanghai, Guang Zhou, Xiamen
http://cn.ute.com info@cn.ute.com
Taipei http://tw.ute.com info@tw.ute.com



Development Tools



unitech SDK

Device Management

SOTI®

42GEARS

vmware®



Staging and Management



MoboLink

Android Enterprise ready EMM for monitoring device health and managing apps, configs and files.



StageGO

Barcode-based device staging utility offering hundreds of script commands for you to work with.



OEMConfig

If you are using a third party EMM, OEMConfig will allow those EMM solutions to configure unitech specific settings on the device.



Enterprise Launcher

Secure your devices by kiosk them with Enterprise Launcher. Block access to the Android system and only allow limited number of apps to be run.



Battery info

Monitor advanced Battery health and manage the battery replacement cycle. Use with MoboLink to get real-time battery health alerts delivered to your phone.



Software Update

Check and install software updates online. To let a device always stay up-to-date, setup the device to automatically check and install for updates on boot up.



System Update Center

Check and install firmware updates via FOTA. You can update the firmware via online FOTA server, or by using a OTA ZIP file placed in the internal storage.

Productivity and Utilities



UNote

A simple text viewer and editor for use in your work flows.



Startup

Auto-run apps when device boots up.



KeyRemap

Reprogram physical buttons to act as another key or to launch an app.



NTP Server Settings

Customize the NTP server setting to keep your device date and time synchronized.