PA768 (WLAN only) 6.3" Rugged Touch Computer

WLAN 6E Technology | 10m Barcode Reading Distance | Hot Swappable 5100mAh Battery

Unitech is thrilled to present its latest innovation, the PA768 rugged mobile computer (WLAN version), designed to provide dependable and efficient mobile computing for indoor warehousing operations. Boasting high-speed and low-latency data transfer capabilities with WLAN 6E technology, the PA768 ensures fast and reliable information access for maximum user benefit. With its durable and ergonomic design, the PA768 is the ideal solution for streamlining warehouse operations and increasing productivity.

A New Generation of WLAN 6E

Featuring WLAN 6E technology, the PA768 rugged mobile computer delivers incredible speed in transmissions and lower latency to give mobile workers reliable and higher speed to synchronize with the system, handling jobs more efficiently. It helps user in a new era of speedy connection for businesses.

Especially Designed for Outdoor Applications

The PA768 is combined with superior barcode scanning ability, sunlight-readable 500 nits display, and durable design that makes it an ideal tool to handle complex tasks with mobility and efficiency. Field service technicians can use the touch panel while wearing gloves, or wet-finger communicate real-time status with coworkers, and capture images on sites with a 16MP camera. Its all-in-one functionality allows staff to manage tasks more precisely and productively.

Reliable at its best

The PA768 also comes with the GMS and AER certified that makes your toughest workdays easier. Reaching IP65 & IP67 enterprise protection and withstanding 1.8M drop makes PA768 a perfect tool to maximize data collection, management, and traceability in nearly every practice of transportation & logistics, field service, manufacturing, and more!

Various Accessories

It allows users to add values to your device with the standard gun grip or unique UHF RFID gun grip. Just simply attach it, and it will deliver a convenient way to support standard barcode scanning, RFID scanning in inventory tracking and taking solutions.

G 🕻 🛛 🛆

D 2

Features

- · Android 12 OS with GMS and AER certified
- Support WLAN 6E : 2.4 and 5GHz frequency as well as the 6GHz band
 Superior barcode engine : 1D/ 2D/ DPM/ DOT code/ barcodes on
- screens/ OCR
- Multi-Scan function: Available to read 10 barcodes at one time
- 1.5M drop-resistant housing (1.8M with bumper)
- IP65 & IP67 heavy-duty protection against water and dust
- True Hot-swap battery design without downtime
- Support MDM Software Solutions and utilities such as Airwatch, SOTI, Ivanti Wavelink, and MoboLink.



:::::



Operation System

Languages support

OS

CPU

Memory

Display

Touch Panel

Keypad

Camera

RFID

UHF

HF

5 MP Front camera

Programmable key, Volume up/down

key, Left/right scan key, Power key

Screen

PA768 Specifications



Android 12 with GMS & AER certified

Octa Cores up to 2.7 GHz

Multiple languages

Qualcomm Snapdragon™ 6490 Processor, 64bits,

6.3" Color LCD 2160 X 1080 (FHD+) High Resolution Display

Indicator

LEDs, Vibrator, Speaker

High sunlight visibility- LCD backlight up to 500nits

Gorilla Glass with Multi-Touch Capacitive Touch Panel, support stylus, glove, wet-finger Compatibility

6 GB RAM / 64GB UFS Flash (128GB option)

Symbologies

Built-in 2D imager engine with red laser aimer, with 1 Mpx & global shutter function Optional Middle range engine support read range up to 10 meters Support all 1D & 2D major barcodes

Communication

| Bluetooth® | Bluetooth [®] 5.2 , BLE 5, Class 1.5 |
|------------|--|
| WLAN | WLAN 6E+DBS, 2.4GHz & 5GHz & 6GHz |
| | IEEE 802.11a/b/g/n/ac/d/h/i/k/r/v/ac/ax (2x2 MU-MIMO) |
| | Security WPA3, WPA2, WPA & WEP |
| GPS | GPS, GLONASS, Gallileo, Beidou, QZSS, SBAS, |
| | supports L1+L5, a-GPS, XTRA |
| Sensors | Gyroscope, G-sensor, E-compass, Light & Proximity Sensor |

I/O Interfaces

| USB | USB 3.1 type C, support fast charging, OTG, |
|----------------|--|
| | Display Port Mode by dongle or USB-C of Ethernet cradle |
| POGO PIN | Bottom pogo pin for cradles, rear pogo pin for gun grips |
| Expansion Slot | Micro SD x 1, up to 1TB |
| Audio | SmartPA Speaker support 100 dB at 10cm |
| | Dual-Microphone support noise cancellation |

Environmental

| Operating temperature | -20°C to 55°C (-4°F to 131°F) |
|------------------------|---|
| | |
| Storage temperature | -40°C to 70°C (-40°F to 158°F), without battery |
| Relative Humidity | 5% ~ 95% (Non-Condensing) |
| Drop test to Concrete | 1.8 meter with bumper |
| | 1.5 meter without bumper |
| Environmental Sealing | IP65 & IP67 per IEC 60529 |
| Vibration/ Tumble test | Tumble 600 times (1.6 ft./0.5 m) |

Regulatory Approvals

CE, FCC, NCC, VCCI, TELEC, CCC, SRRC, BQB, N-Mark, RoHS 2.0

Accessories

Hand Strap USB 3.0 type-C cable Fast Charge Adaptor 9H Glass Screen Protector Multi-Slot Terminal Charging / Ethernet Cradle / Battery Charger 1-Slot Charging / USB / Ethernet cradle Standard/UHF Gun Grip Stylus & Coiled Strap

unitech Europe

Tilburg / Netherlands http://eu.ute.com e-mail: info@eu.ute.com

unitech Japan

Tokyo http://jp.ute.com e-mail: info@jp.ute.com

unitech Greater China

Beijing, Shanghai, Guang Zhou, Xiamen http://cn.ute.com info@cn.ute.com Taipei http://tw.ute.com info@tw.ute.com



Support Google ARcore UHF gun grip (see RG768) Support HF/NFC Frequency 13.56Mhz Support: ISO14443A/B, ISO15693, Mifare, Felica(ISO/IEC18092)

16 MP Rear Camera with LED flash and auto-focus function,

Power Source

Main battery Hot Swappable 5100mAh Li-ion battery / battery with cover in one piece 7600mAh / battery with cover in one piece (optional) Extended battery Hot Swap Yes, Keeps applications active up to 1 minute

167mm x 75.5mm x 17mm

270 g (with standard battery)

Enclosure

Dimensions (H x W x D) Weight



Headquarters

Taipei, Taiwan http://www.ute.com e-mail: info@hq.ute.com

unitech America Los Angeles

http://us.ute.com e-mail: info@us.ute.com http://can.ute.com info@can.ute.com Mexico http://latin.ute.com e-mail: info@latin.ute.com

unitech Asia Pacific & Middle East

Taipei http://apac.ute.com info@apac.ute.com / info@india.ute.com http://mideast.ute.com info@mideast.ute.com

Specifications subject to change without notice. Copyright 2023 unitech Electronics Co., Ltd. All rights reserved. unitech is a registered trademark of unitech Electronics Co., Ltd. All product and company names are trademarks, service marks, or registered trademarks of their respective owners. The Android robot is reproduced or modified from work created and shared by Goode and used according to terms described in the Creative Commons 3.0 Attribution License



*All trademarks and registered trademarks are the property of their respective owners. WWW.ute.com